Printing date 19.01.2012 Revision: 19.01.2012

# 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- Trade name: MR® 751 Special Ultrasonic coupling agent strippable, water soluble
- Type of packaging bulk
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation Couple gel for ultrasonic testing, technically
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Hersteller:

MR-Chemie GmbH Nordstr. 61-63 D-59427 Unna Tel. +49 (0)2303/95151-0 Fax +49 (0)2303/95151-10

· Further information obtainable from:

MR® Chemie GmbH, Developement, Tel.: 0049-(0)2303/95151-18, QS@mr-chemie.de

**Emergency telephone number:** 

24h- Emergency Contact Phone Number

For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident

Call Day or Night within USA and Canada: 1 800 424 9300 Outside USA and Canada: 001 703 527 3887

(WISAG FMO Cargo Service GmbH & CO.KG)

#### 2 Hazards identification

- · Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

- Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

· Special labelling of certain preparations:

Safety data sheet available for professional user on request.

- Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Aquaeous gel with subordinated parts of cellulose ether and surfactants

Dangerous components:			
CAS: 3586-55-8	(Ethylendioxy)dimethanol	Xn R22	1-5%
EINECS: 222-720-6		Acute Tox. 4, H302	

(Contd. on page 2)

Printing date 19.01.2012 Revision: 19.01.2012

Trade name: MR® 751 Special Ultrasonic coupling agent

strippable, water soluble

(Contd. of page 1)

· Additional information: For the wording of the listed risk phrases refer to section 16.

#### 4 First aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: No special measures required.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Do not induce vomiting; call for medical help immediately.

If symptoms persist consult doctor.

· Information for doctor:

Grease with skin-cream to restore fat film in order to prevent skin inflammation.

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents:

Not inflammable. With an environment fire suitable fire extinguishing agents: Water, drying fire extinguishing agent, CO2

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

- Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Dispose of the material collected according to regulations.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Reference to other sections

Slip hazard.

No dangerous substances are released.

See Section 7 for information on safe handling.

### 7 Handling and storage

- Handling:
- · Precautions for safe handling No special measures required.

(Contd. on page 3)

Printing date 19.01.2012 Revision: 19.01.2012

Trade name: MR® 751 Special Ultrasonic coupling agent

strippable, water soluble

(Contd. of page 2)

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store frost-protected.

Store in a cool location.

Keep receptacles tightly sealed.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Protect from heat and direct sunlight.
- · Storage class: 12
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

· Respiratory protection:

For good ventilation provide, this can be achieved by local or space exhaust. If the concentration lies over the job limit values, then, a certified respirator suitable for this purpose must be used.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Rubber gloves

Natural rubber, NR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Tightly sealed goggles
- Body protection: Protective work clothing

- GE

Printing date 19.01.2012 Revision: 19.01.2012

Trade name: MR® 751 Special Ultrasonic coupling agent

strippable, water soluble

(Contd. of page 3)

# 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: gel
Colour: Green
Odour: Characteristic

· pH-value at 20°C: < 9

· Change in condition

Melting point/Melting range: - 5°C Boiling point/Boiling range: > 97°C

Flash point: Not applicable.
 Self-igniting: Product is not selfigniting.
 Danger of explosion: Product does not present an explosion hazard.

· Vapour pressure at 20°C: 23 hPa · Density at 20°C: 1 g/cm³

· Solubility in / Miscibility with

water: Fully miscible.

· Viscosity:

 Dynamic at 20°C:
 10000 mPas

 Organic solvents:
 1.5 %

 Water:
 95.5 %

 VOC (EU)
 0.0 %

· Other information No further relevant information available.

## 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification: LD50 Oral: > 10.000 mg/kg (rat)
- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 5)

Revision: 19.01.2012 Printing date 19.01.2012

Trade name: MR® 751 Special Ultrasonic coupling agent

strippable, water soluble

(Contd. of page 4)

### · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Water hazard class 1: weakly water-endangering

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- Recommendation Smaller quantities can be disposed of with household waste.
- · Waste disposal key:

For this product no waste key number can be specified, because only the intended purpose permits an allocation. The waste key number is to be specified in arrangement with the regional waste disposal.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN-Number		
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	

Printing date 19.01.2012 Revision: 19.01.2012

Trade name: MR® 751 Special Ultrasonic coupling agent

strippable, water soluble

(Contd. of page 5)

· Special precautions for user Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation":

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Waterhazard class:

Water hazard class 1: slightly hazardous for water.(In accordance with classification VwVwS,appendix 4)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

R22 Harmful if swallowed.

· Recommended restriction of use

Existing national and local laws concerning chemicals are to be considered.

- · Department issuing MSDS: MR® Chemie GmbH, Development
- · Contact: MR® Chemie GmbH, Tel.: 0049(0)2303/95151-0
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

\* Data compared to the previous version altered.