


MR[®] 221 Magnetic powder concentrate



Product characteristics

- Water-suspendable black magnetic powder concentrate with iron oxide and iron core
- Dilution 1:50
- Includes corrosion inhibitor and other additives
- Free of nitrite, halogene, silicone
- Medium particle size $d_a = 1-3 \mu\text{m}$
- Sediment: 0,6-0,8 ml / 100 ml (1/2 h) acc. to ASTM E 709-01
- No declaration of hazardous ingredients – ECO-LINE

Minimum shelf life / temperatures

Container: 2 years
Storage temperature: + 5 °C - + 45 °C
Application: + 5 °C - + 85 °C



Approvals / specification

- ASME Code V, Art. 7
- DIN EN ISO 9934-2
- ASTM E709



More hints

Process description according to EN ISO 9934-1 available on request or at www.mr-chemie.de. For further information, please refer to our Safety Data Sheet and our 3.1 Certificate. For necessary and supplementary test accessories, please visit our website or contact our staff.

Suggested products

Remover: MR[®] 71, MR[®] 79, MR[®] 85, MR[®] 88, MR[®] 3001, MR[®] 3002
Contras paint: MR[®] 72, MR[®] 72 AF, MR[®] 72 LS, MR[®] 725, MR[®] 726, MR[®] 727, MR[®] 721
Test body: Reference block 1 and 2, Test block
Measuring device: Field strength meter, UVA/Lux, Luxmeter
Hand yoke: MR[®] 50, MR[®] 56
Auxiliary means: Pump sprayer

Delivery form



technical changes reserved!